IN THE CLAIMS

Please amend the claims as follows:

1. (original) In a controller, a method for determining participants in a net within a group communication network, the method comprising:

sending a message to a communication device, the message being for determining whether the communication device wishes to stay a participant in the net; and

listing the communication device as a participant in the net if the communication device sends a response to the message within a predetermined time period.

- 2. (original) The method of claim 1, further including deleting the communication device from a list of participants in the net if the communication device does not send a response to the message within a predetermined time period.
- 3. (original) The method of claim 1, wherein the message includes information identifying the communication device.
- 4. (original) The method of claim 1, further including determining latency with respect to the response.
- 5. (original) The method of claim 1, wherein the message includes a message identifier.
- 6. (original) The method of claim 5, wherein the response includes information identifying the message identifier.
- 7. (original) The method of claim 1, wherein the response includes information identifying the communication device.
- 8. (original) The method of claim 1, wherein the sending includes sending the message to a push-to-talk (PTT) device.

9. (original) In a communication device, a computer-readable medium embodying a method for determining participants in a net within a group communication network, the method comprising:

sending a message to a communication device, the message being for determining whether the communication device wishes to stay a participant in the net; and

listing the communication device as a participant in the net if the communication device sends a response to the message within a predetermined time period.

- 10. (original) The computer-readable medium of claim 9, wherein the method further includes deleting the communication device from a list of participants in the net if the communication device does not send a response to the message within a predetermined time period.
- 11. (original) The computer-readable medium of claim 9, wherein the message includes information identifying the communication device.
- 12. (original) The computer-readable medium of claim 9, wherein the method further includes determining latency with respect to the response.
- 13. (original) The computer-readable medium of claim 9, wherein the message includes a message identifier.
- 14. (original) The computer-readable medium of claim 13, wherein the response includes information identifying the message identifier.
- 15. (original) The computer-readable medium of claim 9, wherein the response includes information identifying the communication device.
- 16. (original) The computer-readable medium of claim 9, wherein the sending includes sending the message to a push-to-talk (PTT) device.

17. (original) A controller for determining participants in a net within a group communication network, comprising:

means for sending a message to a communication device, the message being for determining whether the communication device wishes to stay a participant in the net; and

means for listing the communication device as a participant in the net if the communication device sends a response to the message within a predetermined time period.

- 18. (original) The controller of claim 17, further including means for deleting the communication device from a list of participants in the net if the communication device does not send a response to the message within a predetermined time period.
- 19. (original) The controller of claim 17, wherein the message includes information identifying the communication device.

/

- 20. (original) The controller of claim 17, further including means for determining latency with respect to the response.
- 21. (original) The controller of claim 17, wherein the message includes a message identifier.
- 22. (original) The controller of claim 21, wherein the response includes information identifying the message identifier.
- 23. (original) The controller of claim 17, wherein the response includes information identifying the communication device.
- 24. (original) The controller of claim 17, wherein the sending includes sending the message to a push-to-talk (PTT) device.
- 25. (original) A controller for determining participants in a net within in a group communication network, comprising:

a memory unit for storing information about participants in the net;

- a transmitter to send a message to a communication device;
- a receiver to receive a response from the communication device; and
- a processor communicatively coupled to the receiver, the transmitter, and the memory unit, the processor being capable of:

sending a message to a communication device, the message being for determining whether the communication device wishes to stay a participant in the net; and

listing the communication device as a participant in the net if the communication device sends a response to the message within a predetermined time period.

- 26. (original) The controller of claim 25, wherein the processor is further capable of deleting the communication device from a list of participants in the net if the communication device does not send a response to the message within a predetermined time period.
- 27. (original) The controller of claim 25, wherein the message includes information identifying the communication device.
- 28. (original) The controller of claim 25, wherein the processor is further capable of determining latency with respect to the response.
- 29. (original) The controller of claim 25, wherein the message includes a message identifier.
- 30. (original) The controller of claim 29, wherein the response includes information identifying the message identifier.
- 31. (original) The controller of claim 25, wherein the response includes information identifying the communication device.
- 32. (original) The controller of claim 25, wherein the sending includes sending the message to a push-to-talk (PTT) device.